	<b>U</b>		
	Application No.	Applicant(s)	
	10/057,262	CARNAHAN, DAVID L.	
Notice of Allowability	Examiner	Art Unit	
	Anton B Harris	2831	
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apportant or other appropriate communication (GHTS. This application is subject to	plication. If not included will be mailed in due co	ourse. THIS
1. This communication is responsive to <u>24 November 2004</u> .			
2. A The allowed claim(s) is/are 1-13,19,20,24,28-34,42 and 43			
3. $\boxtimes$ The drawings filed on <u>25 January 2002</u> are accepted by the	e Examiner.		
4. ☐ Acknowledgment is made of a claim for foreign priority una   a) ☐ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have   2. ☐ Certified copies of the priority documents have   3. ☐ Copies of the certified copies of the priority doc   International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" on the delow. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submited in INFORMAL PATENT APPLICATION (PTO-152) which give   6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must   (a) ☐ including changes required by the Notice of Draftspers   1) ☐ hereto or 2) ☐ to Paper No./Mail Date  (b) ☐ including changes required by the attached Examiner's   Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the   7. ☐ DEPOSIT OF and/or INFORMATION about the depose   attached Examiner's comment regarding REQUIREMENT is	been received.  been received in Application No cuments have been received in this  of this communication to file a reply lENT of this application.  itted. Note the attached EXAMINER' es reason(s) why the oath or declarate of the submitted.  con's Patent Drawing Review (PTO- comment or in the Comment or in the Comment of the drawing he header according to 37 CFR 1.121(const of BIOLOGICAL MATERIAL in	national stage application complying with the requirement of the requirement of the stage application of the front (not the band).  nust be submitted. No	irements TICE OF
Attachment(s)  1. □ Notice of References Cited (PTO-892)  2. □ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. □ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. □ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8), 7. ⊠ Examiner's Amendn 8. ⊠ Examiner's Stateme 9. □ Other	(PTO-413), e <u>23 December 2004</u> . nent/Comment	·

Application/Control Number: 10/057,262 Page 2

Art Unit: 2831

## **DETAILED ACTION**

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mark Pandiscio on 23 December 2004.

The application has been amended as follows:

- Claims 35-41 are canceled.
- 2. Claims 13-18 are canceled.

## Allowable Subject Matter

- 3. Claims 1-14, 19, 20, 24, 28-34, 42, and 43 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

The limitations found in claims 1-12, 19, 20, 24, 28-30, 42, and 43 are neither disclosed nor taught by the prior art of record, alone or in combination. The prior art of record does not disclose the limitations of a substrate, at least three elongate electrically conductive grasping elements each having first and second opposite ends with said first ends attached to the substrate and making electrical connections with an alternating current source and the second ends

Application/Control Number: 10/057,262

Art Unit: 2831

projecting outwardly away from the substrate, whereby said second ends are free to be attracted or repelled relative to one another in response to application of alternating current to said elements in combination with the other limitations recited in claim 1.

The limitations found in claims 31-33 are neither disclosed nor taught by the prior art of record, alone or in combination. The prior art of record does not disclose the limitations of a substrate, three elongate, fibrous, electrically conductive grasping elements projecting outwardly away from the substrate, an oscillating voltage to each of the three elongate, fibrous, electrically conductive grasping elements, whereby to cause the free ends of electrically conductive grasping elements to be attracted or repelled relative to one another in combination with the other limitations recited in claim 31.

The limitations found in claim 34 are neither disclosed nor taught by the prior art of record, alone or in combination. The prior art of record does not disclose the limitations of a substrate, three fibrous electrically conductive grasping elements having first ends and second ends in electrical connection with separate electrodes on the substrate and the second ends projecting outwardly from the substrate, and an alternating current source in electrical connection with the separate electrodes on the substrate, each of said grasping elements separated from one another by a gap in combination with the other limitations recited in claim 34.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2831

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anton B Harris whose telephone number is (571) 272-1976. The examiner can normally be reached on weekdays from 8:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Dean Reichard, can be reached on (571) 272-2800 ext 31. The fax phone number for the

organization where this application or proceeding is assigned is (703) 872-9306.

abh 5/12/05

ANTHONY DINKINS
PRIMARY EXAMINER